

# ENVIRONMENTAL PRODUCT DECLARATION (EPD)

ACCORDING TO ISO 14025 & 15804+A2

PRODUCT: CELLO 2298/00

**casala**

# Environmental Product Declaration (EPD)

An Environmental Product Declaration (EPD) is a Type III environmental declaration that quantifies environmental information about the life cycle of a product. This can enable comparisons between products fulfilling the same function. The methodology to produce an EPD is based on the full product life cycle assessment (LCA), following the ISO 14040 series of standards.

## CELLO 2298/00

Combine Cobra's elegant looks with a stylish aluminum cross foot and Cello is born! A practical chair, suitable for many occasions where mobility must meet a high level of comfort. The swivel foot and gas lift give Cello the possibility to adapt to various work situations and is therefore also suitable for use as office chair. With the addition of Cello, the extended Curvy family is now complete. Cello chairs are ideal for use as meeting chairs, office chairs and conference chairs.



Casala's production facility has a solar park which produced 4.5t Kwh in 2023. The remaining energy needed is produced by European Wind as stated by the supplier. The production facility and almost all 3<sup>rd</sup> parties are ISO 9001 & 14001 certified.

Variant	upholstered back, upholstered seat
Base	Welded steel chassis
Finish	Powder coating
Technical life span	15 years
Dimensions (HxLxW)	88.5 x 60 x 60 cm
Weight	11.6 kg
Packaging weight	0.1 kg
Product certification	Star base: BIFMA certified

## GLOBAL WARMING POTENTIAL

To quantify and compare results, we use the Global Warming Potential (GWP) expressed in kg CO<sub>2</sub>-equivalent. This is a measurement method for finding out the amount of energy required to emit 1 tonne of a gas, which is absorbed over a 100-year period. The greater the GWP, the more a particular gas warms the earth.

To comply with EN ISO 15804+A2, Casala uses the 'cradle to grave' assessment for their EPD files. The assessment covers the full life cycle of a product; from production phase to use, followed by recycling or disposal. Other EPD files often only use the 'cradle to gate' assessment, which only covers the production phase.

GWP per unit (Cradle to Grave)	47.668 kg CO <sub>2</sub> eq.
GWP per unit (Cradle to Gate)	52.165 kg CO <sub>2</sub> eq.
Average GWP for contract chairs according to the Furniture Industry Research Association (Cradle to Gate)	27.000 kg CO <sub>2</sub> eq.

## THE ASSUMED PERCENTAGE OF WASTE PROCESSING

Landfill	4.96 %
Incineration	27.89 %
Recycling	61.60 %
Re-use	5.54 %

## DOCUMENT INFORMATION

Calculation number	ReTHiNK-95281
Declaration owner	Casala
Publisher	Casala
Program operator	Casaro
LCA software	NIBE - R<THiNK LCA
Status	Valid

