

ENVIRONMENTAL PRODUCT DECLARATION (EPD)

ACCORDING TO ISO 14025 & 15804+A2

PRODUCT: CENTURO III 1932/10

casala

Environmental Product Declaration (EPD)

An Environmental Product Declaration (EPD) is a Type III environmental declaration that quantifies environmental information about the life cycle of a product. This can enable comparisons between products fulfilling the same function. The methodology to produce an EPD is based on the full product life cycle assessment (LCA), following the ISO 14040 series of standards.

CENTURO III 1932/10

Centuro is available in oak veneer and walnut veneer. For ultimate comfort, it is possible to choose an upholstered seat and back or a fully upholstered chair. Alongside an outstanding quality, this chair maintains its characteristic lines. With its variety of bases, Centuro is ideally suited to conference, meeting and lounge settings. Centuro is available with both a low or a high backrest and optionally with adjustable seat height. The flexible bracket that stylishly joins together the seat and the backrest, along with the curved seat shell offer a high level of comfort.



Casala's production facility has a solar park which produced 4.5t Kwh in 2023. The remaining energy needed is produced by European Wind as stated by the supplier. The production facility and almost all 3rd parties are ISO 9001 & 14001 certified.

Variant	oak veneer with padded seat and back, low backrest
Base	Welded steel chassis
Finish	Powder coating
Technical life span	15 years
Dimensions (HxLxW)	81 x 56 x 65 cm
Weight	9.5 kg
Packaging weight	0.1 kg

GLOBAL WARMING POTENTIAL

To quantify and compare results, we use the Global Warming Potential (GWP) expressed in kg CO₂-equivalent. This is a measurement method for finding out the amount of energy required to emit 1 tonne of a gas, which is absorbed over a 100-year period. The greater the GWP, the more a particular gas warms the earth.

To comply with EN ISO 15804+A2, Casala uses the 'cradle to grave' assessment for their EPD files. The assessment covers the full life cycle of a product; from production phase to use, followed by recycling or disposal. Other EPD files often only use the 'cradle to gate' assessment, which only covers the production phase.

GWP per unit (Cradle to Grave)	18.219 kg CO ₂ eq.
GWP per unit (Cradle to Gate)	13.421 kg CO ₂ eq.
Average GWP for contract chairs according to the Furniture Industry Research Association (Cradle to Gate)	27.000 kg CO ₂ eq.

THE ASSUMED PERCENTAGE OF WASTE PROCESSING

Landfill	3.86 %
Incineration	57.11 %
Recycling	34.41 %
Re-use	4.63 %

DOCUMENT INFORMATION

Calculation number	ReTHiNK-97776
Declaration owner	Casala
Publisher	Casala
Program operator	Casaro
LCA software	NIBE - R<THiNK LCA
Status	Valid

