

# LEATHER

COLLECTION



**casala**

## Premium leather for stylish interior concepts

Casala leather brings natural elegance, warmth and character to every interior. Montana is a premium aniline leather that preserves the authentic beauty and unique characteristics of the original hide. Its soft touch, natural grain and subtle variations in colour give each piece of furniture an individual appearance. Over time, the leather develops a distinctive patina, adding depth and character through everyday use. Combining comfort, quality and timeless appeal, Montana complements a wide range of interior concepts while reflecting Casala's philosophy of "Design Linked to Functionality".



**casala**


# MONTANA

LEATHER BAND 1



Almond

L81012




Brown

L81023



Naturel

L81001



Black

L81056



Dark brown

L81034



Grey

L81045

## SPECIFICATIONS

**UK MATERIAL**  
100% ANILINE LEATHER

**THICKNESS**  
1,3 – 1,5 MM

**FLEXING ENDURANCE**  
≥ 20.000 NO DAMAGE (DIN EN ISO 5402)

**TEAR STRENGTH**  
≥ 20 N (DIN EN ISO 3377-1)

**FLAME RETARDENCY**  
B55852 PART 1&2  
UNI EN ISO 1021 1 & 2

**FASTNESS TO LIGHT**  
3 BLUE SCALE (DIN EN ISO 20105-B02)

**FASTNESS TO RUBBING / PILLING**  
(DIN EN ISO 11640)  
50 CYCLES DRY: ≥ 3 GREY SCALE  
20 CYCLES WET/SWEAT: ≥ 2/3 GREY SCALE

**NL MATERIAAL**  
100% ANILINELEDER

**DIKTE**  
1,3 – 1,5 MM

**BUIGBESTENDIGHEID**  
≥ 20.000 NO DAMAGE (DIN EN ISO 5402)

**SCHEURSTERKTE**  
≥ 20 N (DIN EN ISO 3377-1)

**BRANDVEILIGHEID**  
**FLAME RETARDENCY**  
B55852 PART 1&2  
UNI EN ISO 1021 1 & 2

**LICHTECHTHEID**  
3 BLUE SCALE (DIN EN ISO 20105-B02)

**WRIJFECHTHEID / PILLING**  
(DIN EN ISO 11640)  
50 CYCLES DRY: ≥ 3 GREY SCALE  
20 CYCLES WET/SWEAT: ≥ 2/3 GREY SCALE

**DE MATERIAL**  
100% ANILINLEDER

**DICKE**  
1,3 – 1,5 MM

**DAUERBIEGEFESTIGKEIT**  
≥ 20.000 NO DAMAGE (DIN EN ISO 5402)

**WEITERREISSFESTIGKEIT**  
≥ 20 N (DIN EN ISO 3377-1)

**BRANDVERHALTEN**  
**FLAME RETARDENCY**  
B55852 PART 1&2  
UNI EN ISO 1021 1 & 2

**LICHTECHTHEIT**  
3 BLUE SCALE (DIN EN ISO 20105-B02)

**REIBECHTHEID / PILLING**  
(DIN EN ISO 11640)  
50 CYCLES DRY: ≥ 3 GREY SCALE  
20 CYCLES WET/SWEAT: ≥ 2/3 GREY SCALE

**FR MATÉRIAU**  
100 % CUIR ANILINE

**ÉPAISSEUR**  
1,3 – 1,5 MM

**RÉSISTANCE À LA FLEXION RÉPÉTÉE**  
≥ 20.000 NO DAMAGE (DIN EN ISO 5402)

**RÉSISTANCE À LA DÉCHIRURE**  
≥ 20 N (DIN EN ISO 3377-1)

**NON FEU**  
**FLAME RETARDENCY**  
B55852 PART 1&2  
UNI EN ISO 1021 1 & 2

**SOLIDITÉ LUMIÈRE**  
3 BLUE SCALE (DIN EN ISO 20105-B02)

**RÉSISTANCE AU FROTTEMENT / PILING**  
(DIN EN ISO 11640)  
50 CYCLES DRY: ≥ 3 GREY SCALE  
20 CYCLES WET/SWEAT: ≥ 2/3 GREY SCALE

## ENVIRONMENTAL & SAFETY

Naturally all leathers produced by us are being produced ecologically safe and meet the requirements of REACH, ILO PCR, DMF and AZO dyestuffs during the production process.

## SAMPLE SERVICE

The colours in this publication may differ to the original product. We recommend requesting a product sample.

Sample service and further information:  
[www.casala.com/samples](http://www.casala.com/samples)



**5 YEAR**  
GUARANTEE



**casala**

[www.casala.com](http://www.casala.com)