

CLASS

CASALA DESIGN TEAM



CLASS DATASHEET

CLASS DATASHEET

casala®

CLASS

UNIQUE BUYING REASONS

- > Class has an integrated linking system in the frame
- > The standard stackable frame makes Class stackable up to 5 pieces
 - > Stackable up to 20 pieces on a transport dolly
 - > Class is available as a single and double version
- > Class is optionally equipped with a detachable modesty panel
 - > Class is 100% recyclable
- > The frame is powdercoated in standard Casala colours and optionally finished in Chrome-III

NL

- > Class heeft een geïntegreerde koppeling in het frame
- > Class heeft een standaard stapelbaar frame en kan tot 5 stuks vrijstaand worden gestapeld
- > Op de transportwagen kan Class Single tot 20 stuks worden gestapeld
- > Class is standaard als enkel en dubbele versie verkrijgbaar
- > Class is optioneel te voorzien van een afneembaar frontpaneel
- > Class is 100% recyclebaar
- > Het frame is standaard voorzien van poedercoat in Casala kleuren optioneel met Chrom-III afwerking

DE

- > Class hat ein Verkettungssystem, das im Gestell integriert ist
- > Class hat ein Rundstahlgestell und ist bis 5 Stück freistehend stapelbar
- > Stapelbar auf Stapelwagen bis 20 Stück
- > Class ist lieferbar ins Einziger- und Zweisitzer-Versionen
- > Eine abnehmbare Sichtblende ist optional möglich
- > Class ist zu 100% recycelbar
- > Die Gestelloberfläche ist pulverbeschichtet nach Casala Standardfarben oder in verchromt in chrom 3

FR

- > Class possède un système d'assemblage intégré à sa structure
- > La structure standard permet d'empiler Class jusqu'à 5 pièces au sol
- > Empilable jusqu'à 20 tables sur un chariot de transport
- > Class est disponible en version simple ou double
- > Class est équipée en option d'un voile de fond amovible
- > Class est 100% recyclable
- > Structure laquée dans les coloris d'époxy Casala standard, finition Chrome-III en option




PRODUCT REVIEW

CLASS DATASHEET


CLASS DATASHEET

6455/12




Metaal / Metall / Steel / Acier 4380 gr
 Hout / Holz / Wood / Bois 3430 gr.
 Kunststof / Kunststoff / Plastic / Polypropylène 30 gr.
Totaal / Gesamt / Total / Total 7840 gr

6455/21




Hout / Holz / Wood / Bois 5880 gr.
 Metaal / Metall / Steel / Acier 4980 gr.
 Kunststof / Kunststoff / Plastic / Polypropylène 30 gr.
Totaal / Gesamt / Total / Total 10890 gr.

6455/13



Hout / Holz / Wood / Bois 4700 gr.
 Metaal / Metall / Steel / Acier 4510 gr.
 Kunststof / Kunststoff / Plastic / Polypropylène 30 gr.
Totaal / Gesamt / Total / Total 9110 gr

6455/22



Hout / Holz / Wood / Bois 8230 gr.
 Metaal / Metall / Steel / Acier 5210 gr.
 Kunststof / Kunststoff / Plastic / Polypropylène 30 gr.
Totaal / Gesamt / Total / Total 13470 gr

All sizes in cm

TECHNICAL SPECIFICATIONS

UK

FRAME

- > Frame tube Ø 14mm cold rolled steel, EN10305-3 chrome quality
- > Connection frame to table top: tube 20 x 10 x 2mm cold rolled steel EN10305-3 chrome quality
- > Connection metal parts frame through MIG welds. Table tops connected with inserts and screws
- > Finish: chromed, thickness of 20-25µm, powder coating thickness of 300µm

TABLE TOP

- > 14 mm chipboard with 0,9mm HPL (in standard Casala colours) 14mm plywood or 12mm SCL white
- > Edge: SCL (black), ABS or natural lacquered

GLIDES

- > Made from PA6, optionally felt

NL

FRAME

- > Frame buis Ø 14mm staal koud gewalst EN10305-3 chroomkwaliteit
- > Frame bevestiging tafelblad: buis 20 x 10 x 2mm staal koud gewalst EN10305-3 chroomkwaliteit
- > Bevestiging: frame d.m.v. MIG lassen, bladen verbonden met inserts en schroeven
- > Afwerking: verchroomd met laagdikte 20 - 25µm, poedercoating met laagdikte 300µm

TAFELBLAD

- > 14 mm spaanplaat voorzien van 0,9 mm HPL toplaag (standaard Casala kleuren) 14mm multiplex of 12mm SCL wit gelamineerd
- > Rand: SCL (zwart), ABS of blank afgelakt

GLIJDERS

- > Gemaakt van PA6, optioneel voorzien van vilt

DE

GESTELL

- > Rundstahlrohr Ø 14mm kalt gewalzter Stahl in Verchromungsqualität nach EN10305-3
- > Tischzarge unter der Platte: Rechteckstahlrohr 20 x 10 x 2mm, kalt gewalzter Stahl in Verchromungsqualität nach EN10305-3
- > Verbindung der Metallteile des Gestells durch MIG Verschweißung. Befestigung der Tischplatte durch Gewindebuchsen und Schrauben
- > Oberfläche: verchromt nach Chrom 3, Stärke 20 - 25 µm oder pulverbeschichtet mit einer Materialstärke von 300µm

TISCHPLATTE

- > 14 mm Spanplatte mit 0,9mm HPL (Dekor in Casala Standardfarben) oder 12mm DKS Platte, Dekor weiß
- > Kante: DKS schwarz, ABS in Standarddekorfarben oder in Natur lackiert

GLEITER

- > Kunststoffgleiter aus PA6, optional Filzgleiter

FR

CHÂSSIS

- > Structure tube Ø 14mm acier laminé à froid, chrome qualité EN10305-3
- > Assemblage de la structure et du plateau : tube 20 x 10 x 2mm acier laminé à froid, chrome qualité EN10305-3
- > Assemblage des parties métalliques de la structure par soudures MIG. Plateau assemblé par inserts et vis
- > Finitions : chromé, épaisseur de 20-25µm, époxy épaisseur de 300µm

PLATEAU

- > Panneau de particules 14mm revêtement HPL 0,9 mm (coloris Casala standards), multiplis 14mm ou SCL 12 mm blanc
- > Chant: SCL (noir), ABS, hêtre vernis naturel

PATINS

- > Fabriqués en PA6, feutrine en option

GENERAL INFO

CASALA CERTIFICATION

For many years Casala has been working with dedicated suppliers and producers who comply with ISO 14001. This standard is used worldwide to assess environmental management systems. Casala furniture incorporates wood and wood-related products sourced from responsibly managed forests without harming the needs of future users. Thanks to the established quality requirements and control of production processes, Casala's contract furniture guarantees excellent quality, durability and a long life.

CASALA MAINTENANCE

You can find the Casala general maintenance guide at:
www.casala.com/maintenance.

CASALA GUARANTEE

Casala guarantees that delivered products retain their functional properties for a period of 5 years. The warranty period starts on the date of delivery and is not interrupted, impeded or renewed when a warranty service has been provided.

CASALA CIRCULAR ECONOMY

Casala realises it is responsible for the environment and the economic and social well-being of our world and considers it important to make a structural contribution. Our objective with regard to the Circular Economy is simple: successful corporate social responsibility with focus on a sustainable world. Casala continually strives to reduce the environmental impact in the development of our products.

During the design phase we determine the products and materials and examine their impact and behaviour in the product chain. These choices are the basis of conscientious management of products and materials. For many years Casala has been manufacturing furniture with as much recycled raw materials as possible. These materials mainly originate in Western Europe. The required transport kilometers are therefore kept to a minimum. This contributes to the lowest possible CO₂ emissions.

CASALA CIRCULAR GUARANTEE

Furniture is frequently discarded after use and seen as waste. This is unnecessary, as the parts are often not at the end of their life cycle. Therefore Casala chooses to refurbish many items from its product range and offers a circular guarantee on multiple programs.

When purchasing new furniture, you decide in consultation with Casala whether you want to make use of Casala's circular guarantee. Casala circular guarantee comes with an official certificate. The moment you want to replace your certified used furniture, you can return the existing and you will receive a cash refund. A nice start for the purchase of other furniture with the same quality and warranty conditions as new. This contributes to a more sustainable world, the foundation of Circular Economy.

Casala Meubelen Nederland bv
Rolweg 10
4104 AV Culemborg
The Netherlands
+31 (0)345 51 73 88
info@casala.com

Design Post Amsterdam
Cruquiusweg 111M
1019AG Amsterdam
The Netherlands
T +31 (0)20 463 39 80

Casala
Objektmöbel GmbH
Magirusstraße 16
31867 Lauenau
Germany
+49 (0)5043 71 0
casala@casala.com

Casala Ltd
2 Sycamore Street
Clerkenwell, EC1Y 0SF
London
United Kingdom
+44 (0)1256 46 88 66
sales@casala.com

Casala Sàrl
54 rue du 19 Janvier
92380 Garches
France
+33 (0)1 47 10 02 22
contact@casala.com

WWW.CASALA.COM